

Product Name: Awaken 6-18-2
Product ID # 762

SECTION I MANUFACTURER'S INFORMATION

| | | |
|----------------------------------|-----------------------------|---------------|
| Manufacturer's Name And Address: | Emergency Telephone Number: | 509-547-8234 |
| Northwest Agricultural Products | Number for Information: | 509-547-8234 |
| P.O. Box 3453 | Date Revised: | March 2, 2010 |
| 821 S. Chestnut | Date Reviewed: | April 8, 2013 |
| Pasco, WA. 99301 | | |

SECTION II HAZARDOUS INGREDIENTS

| Material Component | % | Exposure Limits in Air ACGIH TLV | OSHA PEL | Hazard Data |
|--|-----|-------------------------------------|---------------|-------------|
| Caustic Potash Liquid | 5 | | | |
| Mono-Ammonium Phosphate (CAS No. 7644-38-2) | 23 | 2 | 2(C) | Corrosive |
| Zinc EDTA (CAS No. 67859-51-2) | .5 | N/A | N/A | Health |
| Ferrous EDTA (CAS No. 7720-78-7) | .5 | 1mg/m31 (TWA) | 1mg/m31 (TWA) | Health |
| Amino Acids – Proprietary formulation | | | | |
| Surfactant Component | | | | |
| Linear Alcohol | | | | |
| Ethoxylate (CAS No. 68131-39-5) | 2.5 | | | |

**Toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Re authorization Act of 1986 and 40 CFR Part 372.

(1) As Fe

SECTION III PHYSICAL DATA

| | | | |
|-------------------------|-----------|--|-----------|
| Boiling Point, 760mm Hg | 100°C | Melting Point | N/A |
| Specific Gravity | 1.2 | Vapor Pressure | Not Known |
| Vapor Density(AIR=1) | Not Known | Solubility in H ₂ O, % By Wt. Approx. | 98% |
| % Volatiles By Vol. | Not Known | Evaporation Rate (Butyl | |
| Appearance & Odor | Brown | (Acetate=1 | Not Known |
| | Liquid | pH= 5.4 @24.4° C | |

SECTION IV FIRE AND EXPLOSION DATA

| | | | |
|-------------------------------------|-----|--------------------------------------|-------------|
| Flash Point (Test Method) | N/A | Auto Ignition Temperature | N/A |
| Flammable Limits in Air,% By Vol. | | Lower - N/A | Upper - N/A |
| Extinguishing Media | N/A | | |
| Special Fire Fighting Procedures | N/A | Unusual Fire and Explosion Hazard | N/A |

SECTION V HEALTH HAZARD INFORMATION

Symptoms of Overexposure

Inhalation: May cause respiratory tract irritation, nausea, vomiting, weakness, fever, chills and loss of appetite. Chronic exposure may cause pneumonia, liver damage and neurologic damage.

Skin Contact: May cause skin irritation.

Skin

Absorption: None Known

Eye Contact: May cause eye irritation.

Ingestion: May result in nausea, vomiting, diarrhea blood in vomitus and stools, burning pain in the mouth and throat, abdominal pain, lethargy, confusion, edema, leukocytosis, hyperglycemia, acidosis, shock, liver and kidney damage, and other gastrointestinal and neurologic symptoms and damage. Ingestion by a child of more than 60 ml. (2 oz.) or by an adult of more than 150 ml. (5 oz.) may be fatal.

Emergency First Aid Procedures

Eyes: Immediately flush with water for 15 minutes, lifting eyelids to flush thoroughly.

Skin: Wash thoroughly with water.

Inhalation: Remove to fresh air. If breathing is difficult, contact a physician.

Ingestion: Drink large quantities of water or milk. Follow with milk of magnesia, beaten eggs or vegetable oil. Do not induce vomiting. Contact a physician.

Suspected Cancer Agent? ☒ No ☐ Yes

This products ingredients are not found in the lists below.

☐ Federal OSHA ☐ NTP ☐ IARC ☐ Cal/OSHA

Medical Conditions Aggravated by Exposure - Hemochromatosis.

Notes To Physician contains citric acid (6.8 %); pH 1.7. Ingestion of more than 0.5 ml. of product per kg. body weight may result in iron toxicity.

SECTION VI REACTIVITY DATA

Stability ☒ Stable ☐ Unstable

Incompatibility (material to avoid) Avoid contact with strong alkaline materials such as caustic potash (potassium hydroxide) and caustic soda (sodium hydroxide). Mildly corrosive to common metals.

Hazardous Decomposition/Combustion Products - Oxides of sulfur and zinc.

Hazardous Polymerization - N/A

SECTION VII SPILL, LEAK AND DISPOSAL PROCEDURES

Step To Be Taken If Material Is Released Or Spilled - Follow standard recovery procedures.

Waste Disposal Method - Follow all applicable Federal, State and local regulations.

SECTION VIII SPECIAL PROTECTION INFORMATION

Ventilation Requirements - Use general or local exhaust ventilation to meet TLV requirements.

Specific Personal Protective Equipment

Respiratory: None required where appropriate ventilation conditions exist. If the TLV is exceeded, a self-contained breathing apparatus is advised.

Eye: Safety goggles.

Gloves: Acid-resistant gloves such as rubber or neoprene.

Other Clothing And Equipment: Coats, coveralls or aprons are recommended.

SECTION IX SPECIAL PRECAUTIONS

Precautionary Statements - Avoid contact with skin, eyes or clothing. Do not ingest. Avoid inhalation of mists.

Other Handling And Storage Requirements - Keep lid tightly closed. Store in a dry area, above freezing and below 105°F, out of direct sunlight and away from strong alkalies. Keep out of reach of children.

PREPARED BY : DAVID W. BERGEVIN

ADDRESS: NAP CHEMICAL
821 S. CHESTNUT
PASCO, WA 99301

Original Issued: June 10, 2003

Revised: A.S. Wicks, July 15, 2003

SECTION X DOT INFORMATION AND DATE

DOT CLASSIFICATION: Not regulated DOT LABEL: None required

All information, recommendations and suggestions appearing herein concerning our products are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity and suitability for his/her own use of the product described herein. Since the actual use by others is beyond our control, we make no guarantee, expressed or implied as to the effects of such use, the results to be obtained, or the safety and toxicity of the product; nor do we assume any liability arising out of use, by others, of the product referred to herein.

The information herein is not to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.